

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	L8 and (clinical thermometer)
Display:	10 Documents in Display Format: - Starting with Number 1
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Tuesday, July 26, 2005
 [Printable Copy](#)
 [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ</i>			
<u>L16</u>	L8 and (clinical thermometer)	386	<u>L16</u>
<u>L15</u>	(L8 and "clinical thermometer")![CCLS]	0	<u>L15</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L14</u>	3082625.pn.	1	<u>L14</u>
<u>L13</u>	6634788.pn.	1	<u>L13</u>
<u>L12</u>	6676290.pn.	1	<u>L12</u>
<u>L11</u>	L10 AND "VERBITSKY"	290	<u>L11</u>
<u>L10</u>	374/\$.CCLS.	13874	<u>L10</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ</i>			
<u>L9</u>	L8 and L2	5	<u>L9</u>
<u>L8</u>	(374/163,208,170,151;600/474)![CCLS]	3122	<u>L8</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L7</u>	L5 and (thermometer or probe)	338	<u>L7</u>
<u>L6</u>	dendable or deflectable	13797	<u>L6</u>
<u>L5</u>	d10/57	637	<u>L5</u>

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L4</u>	L3 and L2	46	<u>L4</u>
<u>L3</u>	374/\$.ccls.	28706	<u>L3</u>
<u>L2</u>	bend\$4 probe or bend\$4 thermometer or deflect\$4 probe or deflect\$4 thermometer	1343	<u>L2</u>
<u>L1</u>	9bend\$4 probe or bend\$4 thermometer or deflect\$4 probe or deflect\$4 thermometer	923	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	L22 and (probe or thermometer)
Display:	10 Documents in Display Format: - Starting with Number 1
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search	Clear	Interrupt
--------	-------	-----------

Search History

DATE: Tuesday, July 26, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L23</u>	L22 and (probe or thermometer)	845	<u>L23</u>
<u>L22</u>	374/208	1477	<u>L22</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ</i>			
<u>L21</u>	L10 and (insulation space or isolation space or air insulat\$4)	22	<u>L21</u>
<u>L20</u>	L16 and (insulation space or isolation space or air insulat\$4)	2	<u>L20</u>
<u>L19</u>	L16 and (hollow space or hollow cavity or air insulat\$4)	3	<u>L19</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L18</u>	6676290.pn.	1	<u>L18</u>
<u>L17</u>	3832669.pn.	1	<u>L17</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ</i>			
<u>L16</u>	L8 and (clinical thermometer)	386	<u>L16</u>
<u>L15</u>	(L8 and "clinical thermometer")![CCLS]	0	<u>L15</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L14</u>	3082625.pn.	1	<u>L14</u>
<u>L13</u>	6634788.pn.	1	<u>L13</u>

<u>L12</u>	6676290.pn.	1	<u>L12</u>
<u>L11</u>	L10 AND "VERBITSKY"	290	<u>L11</u>
<u>L10</u>	374/\$.CCLS.	13874	<u>L10</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ</i>			
<u>L9</u>	L8 and L2	5	<u>L9</u>
<u>L8</u>	(374/163,208,170,151;600/474)![CCLS]	3122	<u>L8</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L7</u>	L5 and (thermometer or probe)	338	<u>L7</u>
<u>L6</u>	dendable or deflectable	13797	<u>L6</u>
<u>L5</u>	d10/57	637	<u>L5</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L4</u>	L3 and L2	46	<u>L4</u>
<u>L3</u>	374/\$.ccls.	28706	<u>L3</u>
<u>L2</u>	bend\$4 probe or bend\$4 thermometer or deflect\$4 probe or deflect\$4 thermometer	1343	<u>L2</u>
<u>L1</u>	9bend\$4 probe or bend\$4 thermometer or deflect\$4 probe or deflect\$4 thermometer	923	<u>L1</u>

END OF SEARCH HISTORY